



### Apex PC in a Glance

The Apex Pressure Controllers are laminar flow controllers that use differential pressure measurements within the known volume to control process pressure. Apex PCs use a valve system upstream for vacuum applications and downstream for pressure applications, insuring pinpoint accuracy for both situations. The Dual Valve System replaces a bleed valve, potentially saving large amounts of expensive gas, and money.

### Common Applications

- Research and Development
- Sputtering
- Thin Film Deposition
- Chemical Vapor Deposition
- Plasma Production
- Replacement for Valve Control
- Vacuum Venting and Gassing
- Fuel Cell Systems
- Nitrogen Blanketing
- Shaping Air in Paint Booths

### Why we Stand Out

- ◆ Controls ranges from -15 psia(vacuum) to 500 psig
- ◆ Lifetime Warranty with calibrations
- ◆ Faster than 100 millisecond valve control
- ◆ Pinpoint accuracy at 0.25% Full Scale
- ◆ 200-1 Turndown Ratio allows lower accurate flow readings
- ◆ Flexibility of 117+ selectable on-board gases
- ◆ Compatible with FlowVisionSC download on Windows
- ◆ No additional rack mount power or display supplies needed
- ◆ All units come with RS-232 and all Analog Communication
- ◆ Multiple unit control made easy with the BB9 Breakout Box


### Technical Information

Accuracy	0.25% Full Scale
Repeatability	0.8% at Full Scale
Operating Range	1-200 % Measure and Control
Response Time	100 Milliseconds
Pressure Range	-15 psia(vacuum) to 500 psig
Operating Temp	-10°C to +50°
Humidity Range	Non-Condensing (0-100%)
Excess Pressure	128% Controllable Full Scale
Burst Pressure	3 Times Full Scale
Supply Voltage	12 to 30 Volts DC
Signal Options	RS-232 , RS-485, 0-5 Vdc, 0-10 Vdc, 4-20 mA
Electrical Connections	8 Pin, 9 Pin, 15 Pin, 6 Pin Industrial

Dimensions	Connections
Pressure Controller	1/8" NPT Female

Compatible with Swagelok® tube, Parker®, face seal, push connect and compression adapter fittings. Other Alternative available

Wetted Materials
302 and 303 Stainless Steel, Brass, Viton®, Silicone RTV, Silicon, Glass



222 Riverstone Dive  
 Canton, GA 30114  
 770-479-7138  
[www.schoonoverinc.com](http://www.schoonoverinc.com)  
 e-mail [info@schoonoverinc.com](mailto:info@schoonoverinc.com)

### Accessories & Additions

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>- Local Set Point Module</li> <li>- Remote Digital Display</li> <li>- Assortment of Connecting Cables</li> <li>- Simple Power Cords</li> <li>- FlowVision</li> <li>- BB9 for Multi-Drop Ability</li> <li>- FlowVisionSC for Windows Users</li> </ul> | <ul style="list-style-type: none"> <li>- Totalizer</li> <li>- Additional Fittings</li> <li>- Orifice Sizing</li> <li>- Gas Blend Calibrations</li> <li>- Bi-Directional Flow Calibration</li> <li>- Larger Valves for Larger Loads</li> </ul> |
|---|---|